nsm2cad

Yongkyu Kim


Disconnected PV

- One of the most frequent reason of PV disconnection on Archiver was due to nsm2cad problem.
- There seems most of disconnection due to failure of restarting nsm2cad process.
- However, we got some report on nsm2cad.
- Although we are investigating why nsm2cad stops, we are in lack of information state, if you have something interesting, please let me know.
- By the way, Disconnected PV manage based on "List of Archived PVs" confluence webpage, please keep update.

nsm2cad

👩 Belle II Trigger and DAQ Worksi 🗙 🧕	Browse Belle II DAQ / daq_slc - 🗙 🕂		- 🗆 ×
← → C			र 😐 🧟 🔀 । 🕥 :
■ Bitbucket Projects Repositories • Search for code or repositories		۹ 🕜 🕰 💄	
Belle II DAQ daq_sic ACTIONS I Clone	Belle II DAQ / daq_sic Source master daq_sic / a	pps / nsm2cad / nsm2caApp / src /	Browse Filter
1 Create pull request	deviceNSM2CA.c	move epics apps to apps	04 3월 2018
-C; Create fork	deviceNSM2CA.dbd	move epics apps to apps	04 3월 2018
NAVIGATION	devNSM2CA.cpp	move epics apps to apps	04 3월 2018
<> Source	devNSM2CA.h	move epics apps to apps	04 3월 2018
¢ Commits	ioc_shell.c	move epics apps to apps	04 3월 2018
ູ່ ໂອ Branches	ioc_shell.dbd	move epics apps to apps	04 3월 2018
Network	Makefile	Corrected lib order	07 3월 2019
ຳ Pull requests 5	NSM2CA.cpp	Also replace the mutex locks with the LockGuard in all the apps	18 3월 2019
-C Forks	NSM2CA.h	merged working version	11 3월 2018
	NSM2CACallback.cpp	Also replace the mutex locks with the LockGuard in all the apps	18 3월 2019
	NSM2CACallback.h	removed throw and fixed styles	09 7월 2018
	sm2cadMain.cpp	move epics apps to apps	04 3월 2018
	Atlassian E	Git repository management for enterprise teams powered by Atlassian Bitbucket Sitbucket v5.9.0 · Documentation · Contact Support · Request a feature · About · Contact Atlassian	

File structure



How it works

- nsm2cadMain : Calls epics shell (/w nsm2cad.dbd)
- NSM2CA : Manages epics shell call nsmvget/set
- NSM2CACallback : Manage nsm part work on nsmvget/set
- devNSM2CA : wrapping nsmvget/set calls on epics side.
- deviceNSM2CA : wrap again calls on devNSM2CA and export to epics shell.
- ioc_shell : register nsm commands to epics shell. (init_nsm)

Status on Investigation

- Testing under test pc of Yonsei group using custom variable.
- Small change was done to understand how nsm2cad works.
- I still have vague concept how it works EPICS side.
- After local test, will be tested on one of the ROPC replacing existing nsm2cad process.

Plan and Summary

- Now, just 1st step of investigation.
- Currently, investigation based on small change and logging.
- If you have suggestion, please let us know.
- If there is some error of nsm2cad, please let us know.
- Should understand more on epics shell.
- To reduce disconnected time, we should check restart nsm2cad process correctly done and included in standard procedure of restart.