

Per-event flavor tagger

M. Bertemes, S. Raiz



Flavor tagger in Belle II

qr in Belle II analyses was always **binned**.

qr can change a lot inside the same bin: **taking mean value can be inaccurate**.

Now, $B^0 \rightarrow \pi^0\pi^0$ and $D^0 \rightarrow \pi^0\pi^0$ analyses starting to explore use of **event-per-event qr** : not only **maximally exploiting flavor tagger information** (slightly better tagging-efficiency), but also further **signal/background separation**.

qr (or w) is directly taken from data and is an additional fit variable.



Binned → Unbinned

Investigated methods still not working: value is biased or no fit convergence.

Technical or conceptual issue in Likelihood?

$$\mathcal{L} = \prod_{b=1}^{\text{Bins}} \left[\prod_{i=1}^{\text{Cand}} \left[BF \cdot \epsilon_{sig} \cdot \epsilon_{sig}^b \cdot n_{B\bar{B}} \cdot [1 + (1 - 2\chi_d)[q(1 - 2w_b)]A_{CP}] \cdot \mathcal{P}_{sig} \right] \right]$$


Fraction of events in the bin b Mean wrong-tag for the bin b






$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[BF \cdot \epsilon_{sig} \cdot n_{B\bar{B}} \cdot [1 + (1 - 2\chi_d)[q(1 - 2w)]A_{CP}] \cdot \mathcal{P}_{sig} \cdot \mathcal{P}_{sig}(w) \right]$$

Mean wrong-tag for the event Pdf of w

Simplified Likelihood with only signal, $\Delta w = 0, \mu = 0$




7 bins



Start from the basics

Let's consider the B^+B^- case:


$$N^\pm = \frac{1}{2}(1 \mp A_{CP})$$



Start from the basics

Let's consider the B^+B^- case:

$$N^\pm = \frac{1}{2}(1 \mp A_{CP})$$



Pass to the $B^0\bar{B}^0$ case, considering a perfect flavor tagger:

$$N^{B^0,\bar{B}^0} = \frac{1}{2}(1 + q \cdot A_{CP})$$


q = charge of B_{tag}

Start from the basics

Let's consider the B^+B^- case:

1

$$N^\pm = \frac{1}{2}(1 \mp A_{CP})$$



Pass to the $B^0\bar{B}^0$ case, considering a perfect flavor tagger:

2


$$N^{B^0,\bar{B}^0} = \frac{1}{2}(1 + q \cdot A_{CP})$$

$q = \text{charge of } B_{\text{tag}}$

In reality, there is some dilution factor r
(let's not consider $\Delta w, \mu, \dots$):

3


$$N^{B^0,\bar{B}^0} = \frac{1}{2}(1 + qr \cdot A_{CP})$$



Toy fitter

Consider a very simple fitter. Fit signalMC using ΔE as only variable.


$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right]$$



Add an asymmetry A :

2

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot [1 + q \cdot A] \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right]$$



and a dilution factor r :


3

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot [1 + qr \cdot A] \cdot \mathcal{P}_{\text{sig}}(\Delta E) \cdot \mathcal{P}_{\text{sig}}(qr) \right]$$

Toy fitter

Consider a very simple fitter. Fit signalMC using ΔE as only variable.


$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right]$$



Add an asymmetry A :

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot \mathcal{P}_{\text{sig}}(\Delta E) \cdot A \right]$$

A results are biased wrt true value



and a dilution factor r :

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot \mathcal{P}_{\text{sig}}(qr) \right]$$

A results are biased wrt true value

Differences btw (1) and (2)

First two cases seem identical, but fitter implementation is different:

① B^+B^- case

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}^+} \left[N_{\text{sig}} \cdot \left[\frac{1-A}{2} \right] \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right] \\ \times \prod_{i=1}^{\text{Cand}^-} \left[N_{\text{sig}} \cdot \left[\frac{1+A}{2} \right] \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right]$$

Simultaneous fit in two bins (charge=+1 and charge=-1).

② $B^0\bar{B}^0$ case

$$\mathcal{L} = \prod_{i=1}^{\text{Cand}} \left[N_{\text{sig}} \cdot [1 + q \cdot A] \cdot \mathcal{P}_{\text{sig}}(\Delta E) \right]$$

No simultaneous fit. q is directly inserted in \mathcal{L} .

Logarithms of Likelihoods mathematically equivalent, but case (2) gives biased A . Maybe some bug in the code. Will check using configuration (1) to fit $B^0\bar{B}^0$ sample.



Challenge failed?

Yes, but also new ideas to investigate:

- Logarithm of Likelihoods (1) and (2) mathematically equivalent. Maybe some bug in the code. Will check using configuration (1) to fit $B^0\bar{B}^0$ sample.
- Extended ML fit does not converge, while non-extended does (with biased A). Need to understand why,

Michel's case

Use D^0 mass and qr as fit variables. Fit converges, but A_{CP} is biased because qr template has a fixed $A_{CP}=0$ (https://indico.belle2.org/event/9872/contributions/68321/attachments/24934/36867/b2gm_pi0pi0.pdf).




Reweight of the template inside the minimisation
(based on scanned A_{CP}) could be the solution.

Backup

Calibration

Usual method employed by LHCb and charm flavor tagger:

$$q_{r_{\text{event}}} = p_1 + p_2 \cdot q_{r_{\text{FBDT}}}$$


Dilution

Calibration factors
from control channels

Output of the
flavor tagger